Chruscicki, Jean

From: Chruscicki, Jean

Sent: Tuesday, May 14, 2019 11:58 AM
To: Melinda.Harris@epa.ohio.gov
Subject: RE: Notes from call 2/11/19

Did you mean 2020 or 2022?

From: Melinda.Harris@epa.ohio.gov < Melinda.Harris@epa.ohio.gov >

Sent: Monday, May 13, 2019 9:53 AM

To: Chruscicki, Jean <chruscicki.jean@epa.gov>

Subject: RE: Notes from call 2/11/19

Jean,

I received your message. If I remember correctly, we asked for an example from another state regarding IR report write up on probabilistic sampling. We are just trying to figure out what we would need to do for our 2022 IR if we move forward with the probabilistic sampling next year.

Thanks and have a great day, Melinda Melinda Harris
Supervisor, TMDL & Integrated Report Programs
Division of Surface Water, Ohio EPA
50 W. Town Street, Suite 700
Columbus, Ohio 43215
(614) 728-1357



From: Chruscicki, Jean <chruscicki.jean@epa.gov>


Sent: Thursday, February 14, 2019 10:40 AM

To: Harris, Melinda < Melinda. Harris@epa.ohio.gov >; Mansfield, Marianne < Marianne. Piekutowski@epa.ohio.gov >

Subject: Notes from call 2/11/19

Please see this draft and edit and send to me.

Thanks, Jean



This email is intended for the sole use of the intended recipient and may contain privileged, sensitive or protected information. If you are not the intended recipient, be advised that the unauthorized use, disclosure, copying, distribution, or action taken in reliance on the contents of this communication is prohibited. If you have received this email in error, please notify the sender via telephone or return email and immediately delete this email.